



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0001	575671,577	4774166,170
0002	575757,452	4774211,009
0003	575714,407	4774128,738
0004	575808,463	4774186,533
0005	575752,796	4774050,604
0006	575883,035	4774089,270
0007	575754,533	4774019,179
0008	575878,038	4774013,116
0009	575759,678	4773973,285
0010	575811,855	4773970,699
0011	575875,807	4773967,535
0012	575823,484	4773836,400
0013	575868,757	4773834,054
0014	575781,911	4773712,001
0015	575762,214	4773705,034
0016	575766,761	4773643,755
0017	575735,281	4773677,523
0018	575753,532	4773626,762
0019	575859,071	4773689,584
0020	575862,395	4773679,361
0021	575882,011	4773681,735
0022	575912,580	4773681,913
0023	575924,112	4773661,036
0024	575875,854	4773660,756
0025	575873,690	4773676,976
0026	575859,599	4773660,673
0027	575858,681	4773667,647
0028	575854,102	4773665,213
0029	575723,991	4773575,762
0030	575849,954	4773587,084
0031	575892,813	4773590,975
0032	575869,557	4773516,704
0033	575826,657	4773512,825
0034	575789,247	4773393,854
0035	575721,719	4773365,375
0036	575768,674	4773320,448
0037	575793,551	4773383,807
0038	575788,469	4773301,812
0039	575897,501	4773466,366
0040	575813,156	4773280,114
0041	575929,093	4773451,039
0042	575988,838	4773203,845
0043	575756,312	4773301,154



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0044	575705,217	4773321,417
0045	575699,279	4773318,780
0046	575690,990	4773331,154
0047	575750,224	4773291,836
0048	575702,748	4773287,529
0049	575681,951	4773303,478
0050	575680,259	4773315,380
0051	575681,802	4773325,310
0052	575681,491	4773330,954
0053	575680,388	4773352,557
0054	575628,629	4773465,697
0055	575644,670	4773572,966
0056	575709,758	4773540,441
0057	575654,568	4773592,900
0058	575466,724	4773732,041
0059	575387,594	4773639,593
0060	575468,303	4773339,076
0061	575536,281	4773509,359
0062	575424,861	4773390,423
0063	575532,187	4773512,946
0064	575278,431	4773559,698
0065	575349,993	4773641,396
0066	575399,735	4773811,839
0067	575345,986	4773953,122
0068	575255,661	4773809,850
0069	575257,906	4773645,790
0070	575229,743	4773892,522
0071	575210,155	4773809,049
0072	575181,730	4773666,707
0073	575009,730	4773321,277
0074	575243,599	4773584,019
0075	575044,767	4773302,997
0076	575302,101	4773514,421
0077	575080,017	4773284,620
0078	575344,301	4773467,870
0079	575137,995	4773254,406
0080	575365,732	4773445,350
0081	575166,723	4773239,410
0082	575415,934	4773384,607
0083	575260,471	4773251,140
0084	575216,567	4773213,442
0085	575548,881	4773117,331
0086	575208,873	4773120,936



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0087	574882,408	4773059,972
0088	574917,875	4773121,484
0089	574875,041	4773132,888
0090	574819,663	4773086,109
0091	575836,467	4773247,073
0092	575792,790	4773165,308
0093	575777,008	4773168,425
0094	575710,744	4773215,451
0095	575977,422	4773113,266
0096	575916,005	4773087,934
0097	575997,414	4773050,931
0098	575927,878	4773037,795
0099	576006,012	4773010,196
0100	575960,057	4773002,423
0101	575953,929	4772974,042
0102	575944,840	4772966,102
0103	575699,687	4772869,585
0104	575614,255	4772981,383
0105	575642,498	4773002,967
0106	575557,918	4773113,610
0107	575529,635	4773092,085
0108	575321,782	4773086,460
0109	575372,677	4773019,890
0110	575509,143	4772841,378
0111	575461,059	4772814,166
0112	575390,741	4772906,165
0113	575329,200	4772986,655
0114	575298,125	4772962,914
0115	575311,029	4772845,222
0116	575299,823	4772861,749
0117	575297,449	4772864,736
0118	575299,673	4772866,246
0119	575297,345	4772870,020
0120	575295,261	4772874,164
0121	575290,448	4772871,290
0122	575289,221	4772874,562
0123	575284,454	4772878,237
0124	575279,229	4772860,528
0125	575275,048	4772879,529
0126	575045,993	4772887,679
0127	575260,166	4772686,227
0128	575209,514	4772751,430
0129	575282,248	4772697,051



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0130	575222,833	4772773,539
0131	575266,800	4772846,570
0132	575276,019	4772506,572
0133	575362,786	4772606,503
0134	575303,069	4772698,820
0135	575321,023	4772291,656
0136	575459,192	4772641,550
0137	575387,752	4772752,014
0138	575545,291	4772672,395
0139	575518,886	4772827,531
0140	575666,361	4772667,347
0141	575661,633	4772851,399
0142	575796,207	4772660,031
0143	575798,346	4772867,606
0144	575831,756	4772658,441
0145	575833,960	4772871,761
0146	575884,048	4772881,354
0147	575904,784	4772891,197
0148	576052,117	4772889,683
0149	575883,654	4772841,693
0150	576075,384	4772839,718
0151	575831,449	4772628,781
0152	576038,122	4772626,629
0153	576018,037	4772414,409
0154	575954,056	4772404,399
0155	575949,437	4772388,231
0156	575982,040	4772366,377
0157	576015,566	4772348,859
0158	575940,148	4772455,999
0159	575829,672	4772457,133
0160	575829,072	4772398,070
0161	575764,398	4772396,953
0162	575764,445	4772661,459
0163	575728,949	4772388,846
0164	575731,790	4772662,902
0165	575717,535	4772382,070
0166	575717,270	4772447,463
0167	575620,537	4772659,852
0168	575574,950	4772666,427
0169	575559,031	4772549,049
0170	575705,009	4772447,561
0171	575706,277	4772376,169
0172	575685,933	4772361,245



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0173	575674,263	4772411,210
0174	575551,903	4772496,283
0175	575666,080	4772344,084
0176	575641,420	4772384,222
0177	575540,978	4772415,812
0178	575518,044	4772418,924
0179	575511,657	4772371,915
0180	575615,175	4772350,943
0181	575615,351	4772336,826
0182	575504,962	4772322,504
0184	575354,817	4772151,552
0186	575361,062	4772124,883
0187	575379,708	4772128,333
0188	575385,811	4772130,644
0189	575391,571	4772118,213
0190	575392,497	4772115,860
0191	575396,864	4772104,976
0192	575398,040	4772101,894
0193	575424,495	4772139,508
0194	575430,808	4772159,454
0201	575342,002	4772270,097
0202	575341,498	4772277,725
0203	575318,513	4772299,733
0204	575314,913	4772310,137
0205	575273,703	4772307,120
0206	575052,574	4772543,529
0207	574907,002	4773041,346
0208	574773,031	4772942,538
0209	575055,624	4772936,837
0210	574928,290	4772915,318
0211	575012,593	4772748,123
0212	574955,838	4772751,877
0213	574901,292	4773037,143
0214	574693,532	4772769,227
0215	574884,699	4772571,531
0216	574718,529	4772633,556
0217	574855,261	4772555,023
0218	574711,810	4772618,358
0219	574567,249	4772682,155
0220	574808,819	4772506,320
0221	574691,160	4772559,341
0222	574795,255	4772492,447
0223	574683,671	4772542,713



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0224	574526,251	4772613,643
0225	574739,316	4772433,555
0226	574444,869	4772531,235
0227	574720,362	4772413,076
0228	574421,530	4772505,127
0229	574672,048	4772348,780
0230	574508,028	4772383,340
0231	574657,970	4772325,428
0232	574500,612	4772359,019
0233	574645,108	4772302,402
0234	574493,208	4772334,840
0235	574341,704	4772367,199
0236	574628,175	4772273,359
0237	574336,574	4772315,051
0238	574603,386	4772235,105
0239	574309,875	4772253,008
0240	574584,580	4772196,896
0241	574337,072	4772233,639
0242	574306,190	4772001,971
0243	574190,528	4772134,410
0244	574290,865	4771982,033
0245	574166,566	4772124,364
0246	574222,133	4771846,093
0247	574196,939	4771868,622
0248	574150,799	4771816,986
0249	574132,024	4771832,544
0250	574178,752	4771884,856
0251	574067,521	4771984,293
0252	574096,865	4771852,200
0253	574118,262	4771876,046
0254	574062,871	4771954,402
0255	574456,801	4772017,769
0256	574440,659	4772089,192
0257	574782,792	4771963,583
0258	574818,839	4772174,215
0259	574814,034	4771949,231
0260	574860,187	4772162,281
0261	574872,150	4771928,883
0262	575002,757	4772174,865
0263	575091,507	4771860,791
0264	575170,271	4771971,460
0265	575198,439	4772011,405
0266	575278,358	4772018,980



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0267	575245,074	4771918,683
0268	574752,605	4771961,482
0269	574755,416	4771898,163
0270	574731,844	4771876,967
0271	574774,145	4771835,410
0272	574854,928	4771841,651
0273	574943,791	4771931,792
0274	574845,739	4771787,537
0275	574850,979	4771784,683
0276	574875,065	4771807,329
0277	574870,694	4771816,140
0278	574885,814	4771798,176
0279	574876,963	4771777,331
0280	574875,405	4771773,719
0281	574810,495	4771762,010
0282	574866,970	4771730,089
0283	574944,277	4771855,256
0284	574969,611	4771802,678
0285	574858,853	4771688,174
0286	574782,077	4771664,198
0287	574786,914	4771625,059
0288	574850,478	4771645,070
0289	574882,497	4771619,561
0290	574876,790	4771582,213
0291	574834,740	4771558,761
0292	574835,339	4771557,709
0293	574837,198	4771554,193
0294	575087,420	4771630,256
0295	575155,682	4771645,841
0296	575155,321	4771804,163
0297	575279,983	4771597,844
0298	575113,031	4771546,641
0299	575149,725	4771427,034
0300	574867,893	4771382,180
0301	574886,634	4771435,755
0302	574802,302	4771403,391
0303	574837,036	4771502,725
0304	574824,744	4771519,202
0305	574800,200	4771491,837
0306	574776,663	4771510,494
0307	574734,209	4771453,597
0308	574816,433	4771520,146
0309	574724,709	4771618,031



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0310	574666,648	4771567,673
0311	574704,087	4771903,204
0312	574577,880	4771686,778
0313	574522,294	4771715,691
0314	574583,768	4771918,963
0315	574604,356	4771912,479
0316	574639,263	4772003,393
0317	574612,590	4772010,501
0318	574501,155	4772012,203
0319	574465,994	4771717,259
0320	574412,483	4771703,750
0321	574420,936	4771839,223
0322	574423,057	4771873,199
0323	574431,343	4772005,530
0324	574249,466	4771884,042
0325	574235,349	4771850,804
0326	574114,752	4771831,955
0327	574048,537	4771761,759
0328	573917,442	4771885,286
0329	573834,575	4771769,482
0330	573888,158	4771718,973
0331	573867,919	4771641,006
0332	573866,041	4771633,818
0333	573776,897	4771666,943
0334	573999,609	4771429,412
0335	574064,509	4771377,581
0336	574012,656	4771443,468
0337	574077,125	4771403,830
0338	574039,238	4771291,982
0339	574079,235	4771268,007
0340	574053,690	4771326,902
0341	574231,346	4771313,648
0342	574286,548	4771309,679
0343	574466,583	4771296,716
0344	574234,574	4771358,427
0345	574461,174	4771342,114
0346	574237,634	4771401,000
0347	574444,335	4771386,122
0348	574240,811	4771445,108
0349	574419,454	4771432,252
0350	574250,251	4771576,144
0351	574414,734	4771564,293
0352	574253,318	4771618,800



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0353	574414,854	4771607,169
0354	574256,656	4771665,329
0355	574280,334	4771223,564
0356	574408,818	4771202,827
0357	574278,922	4771204,068
0358	574373,800	4771182,589
0359	574277,800	4771188,449
0360	574357,934	4771165,514
0361	574203,265	4771117,861
0362	574200,201	4771113,655
0363	574325,363	4771071,529
0364	574179,744	4771084,101
0365	574315,800	4771038,286
0366	574157,958	4771052,616
0367	574307,089	4771002,401
0368	574144,580	4771026,554
0369	574300,912	4770975,867
0370	574137,515	4770975,900
0371	574275,694	4770915,979
0372	574118,448	4770917,226
0373	574232,388	4770850,029
0374	574378,411	4771031,687
0375	574331,950	4771051,766
0376	574380,151	4771045,956
0377	574396,898	4771184,865
0378	574642,856	4771075,927
0379	574678,068	4771049,607
0380	574649,270	4771089,973
0381	574690,156	4771061,470
0382	574655,084	4771097,061
0383	574705,245	4771070,436
0384	574665,511	4771112,513
0385	574722,833	4771092,710
0386	574681,211	4771151,269
0387	574720,697	4771143,608
0388	574720,489	4771178,379
0389	574545,526	4771212,117
0390	574453,133	4771229,945
0391	574473,986	4771273,689
0392	574562,377	4771274,073
0393	574474,109	4771332,738
0394	574578,467	4771333,215
0395	574601,268	4771337,669



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0396	574597,899	4771343,704
0397	574606,234	4771346,366
0398	574607,430	4771344,208
0399	574561,604	4771409,242
0400	574548,921	4771432,156
0401	574666,030	4771547,285
0402	574677,759	4771523,313
0403	574721,254	4771456,045
0404	574678,558	4771409,329
0405	574630,970	4771368,342
0406	574677,465	4771348,257
0407	574684,551	4771354,384
0408	574694,619	4771375,208
0409	574704,067	4771394,014
0410	574706,523	4771399,813
0411	574698,290	4771399,803
0412	574710,370	4771395,988
0413	574756,224	4771376,368
0414	574690,551	4771350,958
0415	574690,729	4771312,429
0416	574752,850	4771319,930
0417	574950,561	4771276,652
0418	574957,770	4771309,673
0419	575050,950	4771289,275
0420	574967,573	4771354,332
0421	575022,652	4771144,505
0422	574926,226	4771165,625
0423	574829,957	4771186,742
0424	574721,675	4771210,418
0425	574822,626	4771153,415
0426	575010,955	4771074,678
0427	574814,150	4771114,595
0428	574742,046	4771086,904
0429	574914,954	4770948,527
0430	574959,516	4771011,086
0431	574946,375	4770944,311
0432	574975,944	4770999,384
0433	574994,836	4770985,907
0434	575004,045	4770895,794
0435	575088,323	4770844,630
0436	575223,083	4770927,306
0437	575115,281	4770992,742
0438	575017,496	4771052,109



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0439	575025,595	4771093,884
0440	575139,646	4771032,889
0441	575136,461	4771027,628
0442	575263,955	4770959,980
0443	575307,119	4770996,977
0444	575160,434	4771067,083
0445	575117,690	4771087,473
0446	575150,146	4771155,386
0447	575031,887	4771128,514
0448	575190,024	4771140,642
0449	575201,954	4771189,969
0450	575229,511	4771304,176
0451	575446,589	4771121,065
0452	575307,945	4770752,980
0453	575213,329	4770701,025
0454	575182,133	4770727,476
0455	575071,952	4770597,485
0456	575054,509	4770552,981
0457	575133,068	4770505,618
0458	575135,569	4770518,021
0459	575146,725	4770503,922
0460	575148,426	4770515,351
0461	575149,101	4770520,054
0462	575151,506	4770536,011
0463	575153,258	4770538,456
0464	575152,087	4770552,200
0465	575137,269	4770560,525
0466	575109,590	4770578,772
0467	575187,073	4770491,081
0468	575193,737	4770494,776
0469	575214,548	4770500,877
0470	575220,518	4770484,136
0471	575205,049	4770478,615
0472	575203,775	4770481,715
0473	575198,193	4770488,527
0474	575196,595	4770478,353
0475	575336,327	4770693,963
0476	575290,625	4770647,789
0477	575350,492	4770676,410
0478	575306,611	4770632,004
0479	575436,549	4770503,498
0480	575447,528	4770502,786
0481	575487,520	4770500,298



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0482	575497,325	4770461,289
0483	575411,421	4770636,498
0484	575594,835	4770688,630
0485	575660,440	4770457,825
0486	575614,873	4770694,314
0487	575683,661	4770452,350
0488	575634,099	4770699,781
0489	575705,431	4770448,914
0490	575652,261	4770704,952
0491	575725,920	4770445,834
0492	575900,703	4770591,562
0493	575921,245	4770590,831
0494	575875,270	4770637,850
0495	575929,876	4770666,304
0496	575863,738	4770648,665
0497	575933,587	4770690,507
0498	575844,992	4770681,325
0499	575938,693	4770739,269
0500	575809,709	4770724,775
0501	575933,549	4770789,544
0502	575819,633	4770778,458
0503	575919,707	4770820,165
0504	575800,770	4770818,908
0505	575901,285	4770860,804
0506	575784,187	4770854,434
0507	575884,659	4770896,343
0508	575729,744	4770971,168
0509	575847,853	4770985,901
0510	575711,151	4771015,183
0511	575838,185	4771031,066
0512	575753,520	4771109,380
0513	575756,255	4771154,057
0514	575703,222	4771112,430
0515	575706,479	4771166,107
0516	575654,513	4771114,312
0517	575656,962	4771177,096
0518	575714,869	4770969,284
0519	575581,857	4770952,683
0520	575617,083	4771036,321
0521	575626,638	4771185,176
0522	575501,639	4771115,852
0523	575533,930	4771211,296
0524	575476,703	4771126,682



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0525	575507,178	4771220,656
0526	575466,139	4771131,274
0527	575437,410	4771090,217
0528	575535,497	4771221,868
0529	575598,269	4771253,629
0530	575534,409	4771251,292
0531	575592,947	4771299,257
0532	575532,718	4771297,184
0533	575583,338	4771364,749
0534	575530,293	4771362,801
0535	575530,546	4771356,160
0536	575425,029	4771352,285
0537	575428,267	4771263,939
0538	575423,599	4771390,833
0539	575326,387	4771287,159
0540	575322,728	4771387,112
0541	575273,969	4771487,572
0542	575420,297	4771480,966
0543	575418,051	4771541,465
0544	575483,838	4771521,709
0545	575482,162	4771567,354
0546	575530,611	4771542,412
0547	575499,008	4771575,833
0548	575544,486	4771555,092
0549	575563,869	4771542,076
0550	575553,392	4771496,655
0551	575564,745	4771495,876
0552	575485,216	4771483,544
0553	575566,459	4771486,530
0554	575573,879	4771522,212
0555	575769,940	4771389,789
0556	575744,426	4771361,969
0557	575583,983	4771434,905
0558	575597,467	4771332,631
0559	575632,432	4771325,554
0560	575740,950	4771303,575
0561	575805,596	4771290,480
0562	575632,500	4771305,296
0563	575604,217	4771300,468
0564	575803,285	4771260,077
0565	575737,941	4771268,071
0566	575694,851	4771273,339
0567	575606,555	4771284,170



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0568	575685,907	4771243,665
0569	575611,188	4771252,835
0570	575668,454	4771185,876
0571	575710,156	4771176,039
0572	575738,644	4771169,329
0573	575774,763	4771247,199
0574	575787,714	4771249,738
0575	575760,839	4771164,708
0576	575811,818	4771164,896
0577	575819,486	4771210,306
0578	575801,907	4771208,707
0579	575798,799	4771222,811
0580	575800,988	4771252,507
0581	575844,227	4771220,417
0582	575875,799	4771205,785
0583	575864,747	4771182,417
0584	575860,462	4771173,585
0585	575898,745	4771186,422
0586	575921,467	4771330,828
0587	575809,684	4771433,172
0588	575684,830	4771547,693
0589	575618,713	4771608,315
0590	575642,855	4771640,648
0591	575681,792	4771605,975
0592	575654,813	4771655,970
0593	575694,997	4771620,377
0594	575729,918	4771589,417
0595	575742,447	4771601,029
0596	575757,527	4771617,358
0597	575678,575	4771687,310
0598	575684,643	4771695,226
0599	575764,270	4771624,644
0600	575771,449	4771632,459
0601	575691,231	4771703,480
0602	575713,268	4771732,407
0603	575796,044	4771659,082
0604	575878,097	4771747,926
0605	575903,663	4771732,424
0606	575877,881	4771704,503
0607	575983,015	4771575,261
0608	575947,540	4771504,518
0609	575990,840	4771567,902
0610	576001,634	4771560,835



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0611	576022,672	4771554,743
0612	576037,520	4771543,539
0613	576035,884	4771538,374
0614	576032,934	4771534,030
0615	576027,156	4771526,606
0616	576041,173	4771527,900
0617	576014,843	4771472,837
0618	575522,227	4771707,614
0619	575487,935	4771688,264
0620	575534,810	4771642,696
0621	575491,533	4771632,010
0622	575501,726	4771588,395
0623	575498,918	4771594,767
0624	575494,047	4771592,911
0625	575494,564	4771584,781
0626	575451,734	4771566,995
0627	575332,151	4771722,840
0628	575252,984	4771715,909
0629	575315,171	4771750,928
0630	575240,414	4771766,560
0631	575299,967	4771789,906
0632	575293,462	4771949,724
0633	575349,907	4771869,731
0634	575277,748	4771817,535
0635	575317,098	4771752,587
0636	575488,094	4771848,946
0637	575298,621	4771968,648
0638	575311,803	4771973,392
0639	575308,599	4771996,337
0640	575292,051	4772007,940
0641	575386,749	4772088,824
0642	575392,701	4772066,148
0643	575417,638	4772079,290
0644	575441,812	4772083,609
0645	575388,366	4772268,564
0646	575437,064	4772261,605
0647	575520,332	4772316,187
0648	575538,328	4772290,636
0649	575555,416	4772266,340
0650	575628,449	4772293,347
0651	575620,327	4772328,237
0652	575749,672	4772386,516
0653	575707,231	4772294,620



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0654	575593,925	4772211,662
0655	575574,903	4772201,030
0657	575622,197	4772158,803
0658	575623,438	4772150,128
0659	575587,626	4772148,596
0660	575564,875	4772135,587
0661	575571,999	4772086,632
0662	575511,255	4772070,575
0663	575482,501	4772062,979
0664	575533,027	4772027,109
0665	575639,440	4772039,876
0666	575645,152	4772000,508
0667	575653,277	4771944,523
0668	575668,835	4771837,350
0669	575647,778	4771802,830
0670	575500,444	4771841,186
0671	575510,991	4771803,301
0672	575521,361	4771767,544
0673	575529,201	4771729,419
0674	575535,596	4771684,836
0675	575539,836	4771659,510
0676	575614,460	4771620,634
0677	575635,924	4771648,912
0678	575652,200	4771670,045
0679	575670,603	4771696,258
0680	575694,869	4771727,553
0681	575718,882	4771759,460
0682	575827,246	4771902,931
0683	575755,742	4771964,271
0684	575804,120	4772031,181
0685	575880,860	4771986,486
0686	575883,892	4771991,645
0687	575807,138	4772036,352
0688	575872,025	4772147,734
0689	575949,859	4772099,440
0690	575967,977	4772142,840
0691	575894,225	4772185,785
0692	575863,359	4772203,768
0693	575714,112	4772184,606
0694	575752,269	4772268,490
0695	575808,246	4772391,562
0696	575901,277	4772371,566
0697	575891,783	4772329,613



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0698	576000,663	4772284,763
0699	576028,184	4772599,273
0700	576196,244	4772436,593
0701	576031,429	4772374,895
0702	576079,919	4772362,766
0703	576103,529	4772266,527
0704	576104,393	4772257,598
0705	576097,923	4772185,641
0706	576003,952	4772251,099
0707	576087,921	4772153,938
0708	576130,299	4772136,746
0709	576133,219	4772151,723
0710	576147,072	4772228,064
0711	576143,153	4772257,374
0712	576275,919	4772101,136
0713	576270,809	4771986,406
0714	576103,765	4772042,393
0715	576047,537	4772075,971
0716	575973,719	4772120,057
0717	575957,232	4772087,061
0718	576028,665	4772044,392
0719	575938,076	4772055,818
0720	576009,830	4772012,870
0721	575918,904	4772023,526
0722	575990,611	4771980,715
0723	575899,294	4771989,409
0724	575970,428	4771946,913
0725	576001,901	4771679,808
0726	576026,608	4771765,119
0727	576022,694	4771840,893
0728	576071,805	4771962,931
0729	576235,026	4771902,412
0730	576242,539	4771899,638
0731	576278,374	4771725,642
0732	576167,959	4771607,770
0733	576125,362	4771614,103
0734	576121,270	4771619,041
0735	575539,923	4771523,772
0738	576108,759	4771601,976
0739	576452,160	4771466,875
0740	576362,087	4771427,748
0741	576315,283	4771389,864
0742	576255,954	4771359,748



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0743	576113,317	4771511,628
0744	576119,527	4771545,753
0745	576090,818	4771576,328
0746	576062,489	4771535,909
0747	576076,327	4771526,952
0748	576065,863	4771510,804
0749	576051,105	4771520,131
0750	576044,891	4771510,511
0751	576062,076	4771492,215
0752	576026,747	4771442,545
0753	576148,273	4771400,407
0754	576142,552	4771368,917
0755	576079,247	4771617,360
0756	576058,287	4771590,498
0757	576063,196	4771582,728
0758	576048,510	4771570,487
0759	576042,061	4771562,916
0760	576047,697	4771556,162
0761	576053,747	4771551,252
0762	576058,191	4771550,514
0763	576063,296	4771546,649
0764	575955,771	4771219,491
0765	575880,936	4771153,441
0766	575988,081	4771163,962
0767	575933,100	4771138,013
0768	575908,948	4771160,400
0769	575911,508	4771163,762
0770	575943,566	4771178,468
0771	575947,233	4771165,008
0772	575910,328	4771183,628
0773	575933,219	4771155,452
0774	575929,185	4771158,563
0775	575867,638	4771151,259
0776	575870,325	4771141,372
0777	575862,578	4771133,102
0778	575856,566	4771123,825
0779	575823,575	4771122,652
0780	576050,656	4771106,375
0781	576025,412	4771062,721
0782	575895,990	4770901,648
0783	575937,933	4770811,160
0784	575993,023	4770808,836
0785	576009,28	4770844,159



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0786	576006,296	4770778,157
0787	576031,07	4770834,62
0788	576065,981	4770914,181
0789	576077,316	4770923,139
0790	576078,25	4770933,94
0791	576075,801	4770956,169
0792	576106,816	4770991,743
0793	576172,977	4771067,619
0794	576344,229	4771264,040
0795	576392,223	4771224,197
0796	576309,310	4771129,109
0797	576355,726	4771074,562
0798	576445,673	4771177,727
0799	576546,730	4771130,076
0800	576410,677	4771009,993
0801	576399,766	4771022,835
0802	576253,679	4771015,248
0803	576247,764	4771008,115
0804	576241,114	4771008,37
0805	576213,473	4771032,324
0806	576220,256	4771012,755
0807	576226,771	4770994,017
0808	576235,454	4770984,442
0809	576227,032	4770977,803
0810	576227,734	4770977,287
0811	576231,279	4770971,701
0812	576221,947	4770966,944
0813	576217,19	4770980,194
0814	576212,414	4770987,431
0815	576217,947	4770988,578
0816	576190,517	4770999,632
0817	576185,54	4770999,433
0818	576194,243	4770960,347
0819	576150,591	4770947,844
0820	576205,946	4770869,934
0821	576143,624	4770744,524
0822	576184,768	4770737,972
0823	576213,655	4770794,829
0824	576272,849	4770764,753
0825	576290,54	4770805,086
0826	576232,667	4770832,314
0827	576216,621	4770854,88
0828	576275,021	4770896,382



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0829	576244,099	4770983,589
0830	576244,185	4770999,846
0831	576422,791	4770995,755
0832	576334,361	4770969,592
0833	576380,744	4770879,378
0834	576357,34	4770749,109
0835	576377,633	4770749,033
0836	576389,186	4770813,264
0837	576411,829	4770819,263
0838	576406,11	4770745,224
0839	576429,598	4770742,743
0840	576434,153	4770825,185
0841	576466,439	4770833,713
0842	576467,139	4770736,318
0843	576513,621	4770724,976
0844	576501,222	4770842,933
0845	576646,62	4770881,407
0846	576684,417	4770743,143
0847	576751,519	4770909,195
0848	576691,902	4771047,501
0849	576477,375	4770931,611
0850	576459,754	4770952,320
0851	576656,824	4771074,875
0852	576437,127	4770978,921
0853	576613,684	4771108,774
0854	576579,060	4771133,267
0855	576654,597	4771204,880
0856	576459,723	4771178,289
0857	576564,219	4771289,640
0858	576403,932	4771440,018
0859	576460,735	4771386,722
0860	576424,631	4771448,676
0861	576471,876	4771398,602
0862	576742,411	4771217,239
0863	576749,796	4770963,14
0864	576769,349	4770975,389
0865	576768,836	4770993,802
0866	576789,119	4770999,679
0867	576790,36	4770953,149
0868	576751,119	4770928,555
0869	576950,21	4770901,099
0870	576824,228	4770891,494
0871	576779,259	4770743,027



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0872	576488,547	4770719,907
0873	576504,946	4770596,399
0874	576280,53	4770747,298
0875	576273,278	4770706,938
0876	576382,269	4770559,539
0877	576471,121	4770589,186
0878	576454,888	4770478,166
0879	576512,959	4770484,337
0880	576492,58	4770407,464
0881	576603,474	4770412,703
0882	576507,559	4770390,19
0883	576597,733	4770390,944
0884	576622,104	4770482,292
0885	576671,325	4770624,121
0886	576739,873	4770733,631
0887	576740,605	4770643,117
0888	576767,29	4770732,484
0889	576767,979	4770649,461
0890	576815,283	4770738,416
0891	576815,966	4770656,714
0892	576826,936	4770741,356
0893	576827,636	4770654,946
0894	576841,213	4770744,593
0895	576841,465	4770716,605
0896	576868,794	4770704,9
0897	576869,263	4770648,653
0898	576897,731	4770767,1
0899	576890,115	4770645,5
0900	576959,458	4770687,999
0901	576946,831	4770689,729
0902	576907,894	4770639,135
0903	576910,009	4770635,169
0904	576940,774	4770623,403
0905	576901,759	4770617,866
0906	576909,063	4770615,934
0907	576927,601	4770610,259
0908	576855,938	4770643,606
0909	576869,035	4770516,574
0910	576637,412	4770492,689
0911	576945,946	4770524,503
0912	576957,617	4770489,507
0913	576878,911	4770443,431
0914	576745,37	4770391,837



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0915	576732,578	4770363,726
0916	576615,26	4770417,07
0917	576707,095	4770307,7
0918	576601,021	4770364,065
0919	576792,389	4770262,364
0920	576796,802	4770124,181
0921	576783,831	4770136,994
0922	576820,953	4770168,325
0923	576818,171	4770186,957
0924	576842,633	4770186,106
0925	576841,792	4770157,457
0926	576909,422	4770157,039
0927	576905,619	4770174,53
0928	576929,45	4770187,129
0929	577011,629	4770122,457
0930	577041,029	4770159,111
0931	577047,655	4770155,549
0932	577082,423	4770211,644
0933	577161,581	4770205,289
0934	577171,497	4770217,386
0935	577189,739	4770078,981
0936	577019,066	4770119,916
0937	577102,664	4770054,067
0938	577103,374	4770031,263
0939	576906,375	4770138,705
0940	576877,969	4770128,185
0941	576889,358	4770154,908
0942	576888,865	4770147,828
0943	576891,848	4770147,196
0944	576877,689	4770127,184
0945	576891,548	4770139,878
0946	576884,991	4770148,279
0947	576870,864	4770143,311
0948	576877,926	4770145,615
0949	576869,502	4770134,105
0950	576872,4	4770148,581
0951	576866,646	4770151,089
0952	576867,264	4770156,583
0953	576891,388	4770120,765
0954	576915,694	4770114,59
0955	576828,453	4770142,857
0956	576947,579	4770044,833
0957	576961,638	4770062,603



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
0958	576808,26	4770121,213
0959	576949,873	4770004,754
0960	576817,894	4770062,054
0961	576856,655	4770030,208
0962	576923,973	4769974,811
0963	576796,855	4770016,546
0964	576830,879	4769995,522
0965	576784,884	4769917,937
0966	576844,903	4769883,377
0967	576765,103	4769879,959
0968	576839,355	4769837,958
0969	576750,338	4769860,037
0970	576827,239	4769816,53
0971	576904,891	4769772,629
0972	576745,721	4769855,03
0973	576900,105	4769767,675
0974	576735,769	4769842,515
0975	576756,622	4769828,039
0976	576783,181	4769813,919
0977	576859,076	4769773,434
0978	576889,815	4769757,04
0979	576726,482	4769830,697
0980	576777,564	4769803,42
0981	576699,836	4769793,766
0982	576712,593	4769786,827
0983	576685,677	4769735,101
0984	576705,844	4769773,77
0985	576701,321	4769727,552
0986	576718,162	4769767,975
0987	576766,28	4769690,662
0988	576782,007	4769737,98
0989	576820,279	4769656,459
0990	576932,753	4769616,520
0991	576893,778	4769754,92
0992	576955,015	4769612,725
0993	576909,387	4769777,245
0994	577014,119	4769604,012
0995	576953,416	4769822,758
0996	576981,93	4769978,356
0997	576992,181	4770034,282
0998	577077,424	4770017,753
0999	577067,636	4769945,909
1000	577093,982	4769936,064



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1001	577053,023	4769837,905
1002	577106,282	4769621,158
1003	577068,335	4769617,732
1004	577039,398	4769600,542
1005	576924,097	4769610,107
1006	577053,253	4769506,930
1007	576929,509	4769500,814
1008	576981,832	4769355,960
1009	576760,573	4769306,094
1010	576784,151	4769376,201
1011	576735,431	4769317,261
1012	576758,186	4769384,93
1013	576653,726	4769326,674
1014	576637,328	4769363,177
1015	576656,18	4769419,242
1016	576612,13	4769321,121
1017	576621,188	4769354,653
1018	576586,33	4769373,006
1019	576570,146	4769367,821
1020	576542,776	4769390,822
1021	576558,376	4769452,148
1022	576484,639	4769476,934
1023	576543,93	4769597,935
1024	576615,183	4769574,621
1025	576551,841	4769613,375
1026	576620,523	4769590,911
1027	576698,626	4769565,361
1028	576782,761	4769547,193
1029	576711,788	4769627,841
1030	576680,79	4769658,907
1031	576821,097	4769587,022
1032	576695,118	4769680,813
1033	576846,781	4769613,686
1034	576694,287	4769690,674
1035	576686,838	4769695,639
1036	576678,905	4769682,037
1037	576672,723	4769685,646
1038	576665,906	4769673,594
1039	576658,062	4769659,697
1040	576669,246	4769650,602
1041	576655,892	4769679,193
1042	576683,835	4769728,616
1043	576631,616	4769692,93



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1044	576618,477	4769668,797
1045	576595,068	4769679,344
1046	576583,009	4769676,634
1047	576550,767	4769687,588
1048	576556,872	4769705,515
1049	576529,353	4769587,769
1050	576480,256	4769603,406
1051	576507,758	4769541,313
1052	576467,091	4769562,097
1053	576482,183	4769490,055
1054	576395,412	4769490,7
1055	576403,182	4769515,188
1056	576435,774	4769617,561
1057	576462,908	4769702,782
1058	576342,247	4769524,777
1059	576392,12	4769681,428
1060	576320,434	4769530,805
1061	576369,419	4769684,712
1062	576287,466	4769541,677
1063	576330,213	4769705,838
1064	576272,991	4769547,061
1065	576314,893	4769717,311
1066	576242,922	4769557,977
1067	576267,146	4769669,094
1068	576282,443	4769739,316
1069	576214,167	4769564,006
1070	576234,975	4769676,099
1071	576249,519	4769754,488
1072	576113,688	4769548,24
1073	576153,5	4769762,897
1074	576057,411	4769553,613
1075	576066,431	4769602,191
1076	576037,141	4769559,663
1077	576045,74	4769606,039
1078	576022,532	4769565,02
1079	576030,7	4769608,818
1080	576042,453	4769671,801
1081	576062,326	4769778,966
1082	575996,269	4769578,626
1083	576014,505	4769677,004
1084	575907,521	4769630,584
1085	575939,387	4769801,4
1086	575890,732	4769640,391



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1087	575921,336	4769804,922
1088	575940,645	4769813,594
1089	575952,902	4769928,923
1090	575997,867	4769803,024
1091	576012,233	4769938,052
1092	576013,966	4769800,014
1093	576028,461	4769936,32
1094	576046,624	4769793,728
1095	576061,428	4769932,814
1096	576088,748	4769786,285
1097	576093,346	4769829,616
1098	576103,854	4769928,27
1099	576108,463	4769782,413
1100	576113,251	4769827,489
1101	576309,828	4769736,324
1102	576300,457	4769807,418
1103	576335,027	4769903,719
1104	576483,862	4769722,462
1105	576510,529	4769811,42
1106	576542,963	4769798,995
1107	576622,174	4769795,492
1108	576624,818	4769775,653
1110	576661,066	4769750,58
1111	576655,948	4769753,404
1112	576676,871	4769773,783
1113	576664,236	4769774,231
1114	576682,767	4769785,516
1115	576680,552	4769782,147
1116	576669,002	4769790,875
1117	576683,394	4769851,759
1118	576656,408	4769785,875
1119	576657,36	4769789,923
1120	576660,671	4769803,917
1121	576671,844	4769851,34
1122	576631,304	4769809,714
1123	576639,514	4769879,333
1124	576623,694	4769811,181
1125	576632,67	4769902,114
1126	576661,004	4769904,208
1127	576638,255	4769958,697
1128	576717,262	4769981,864
1129	576721,555	4769983,106
1130	576752,598	4769950,099



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1131	576741,993	4769941,909
1132	576712,167	4769955,186
1133	576734,022	4769924,65
1134	576685,071	4769947,287
1135	576674,395	4769944,174
1136	576708,927	4769869,388
1137	576680,701	4769859,541
1138	576673,308	4769867,237
1139	576673,737	4769859,269
1140	576665,558	4769859
1141	576665,676	4769865,531
1142	576671,016	4769866,258
1143	576672,303	4769872,167
1144	576672,095	4769881,782
1145	576683,623	4769883,165
1146	576684,387	4769881,496
1147	576719,523	4769853,034
1148	576787,949	4770036,075
1149	576782,359	4770036,337
1150	576738,354	4770046,812
1151	576788,634	4770053,177
1152	576783,412	4770070,693
1153	576765,452	4770078,724
1154	576791,363	4770089,625
1155	576798,077	4770087,001
1156	576682,946	4769869,293
1157	576801,871	4770085,893
1158	576813,689	4770079,163
1159	576767,231	4770121,118
1160	576742,035	4770134,711
1161	576702,12	4770144,337
1162	576613,952	4770190,903
1163	576612,787	4770188,195
1164	576669,226	4770104,978
1165	576610,775	4770135,801
1166	576588,619	4770131,561
1167	576558,602	4770129,683
1168	576529,077	4770175,78
1169	576524,571	4770179,776
1170	576404,061	4770062,987
1171	576387,853	4770078,392
1172	576369,604	4770064,722
1173	576376,517	4770058,123



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1174	576390,421	4770057,95
1175	576280,048	4770197,915
1176	576330,243	4770396,502
1177	576340,04	4770435,333
1178	576349,631	4770391,622
1179	576359,316	4770429,991
1180	576342,02	4770443,135
1181	576229,416	4770487,143
1182	576307,844	4770651,314
1183	576157,779	4770731,879
1184	576131,474	4770627,827
1185	576038,461	4770760,609
1186	576017,54	4770649,258
1187	575940,651	4770657,695
1188	575950,611	4770653,803
1189	575965,785	4770655,194
1190	575976,239	4770660,417
1191	575990,739	4770676,305
1192	575933,765	4770606,56
1193	575997,574	4770604,386
1194	575932,262	4770590,479
1195	575995,229	4770588,309
1196	575927,893	4770545,942
1197	575993,701	4770543,689
1198	575975,777	4770473,985
1199	576008,854	4770474,438
1200	576038,172	4770590,455
1201	576045,791	4770474,929
1202	576047,932	4770483,401
1203	576048,89	4770474,99
1204	576050,848	4770482,682
1205	576078,572	4770592,449
1206	576091,243	4770468,572
1207	576093,003	4770475,598
1208	576108,073	4770535,21
1209	576123,091	4770594,608
1210	575897,576	4770271,531
1211	576016,635	4770257,841
1212	575887,837	4770194,803
1213	576032,23	4770178,244
1214	576047,973	4770176,464
1215	575863,168	4769987,021
1216	576007,139	4769971,72



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1217	575860,025	4769954,228
1218	575954,535	4769944,157
1219	575858,48	4769938,944
1220	575230,436	4770436,423
1221	575257,162	4770432,582
1222	575118,080	4770502,017
1223	575106,503	4770442,725
1224	575084,655	4770451,208
1225	575103,506	4770510,985
1226	575097,455	4770499,334
1227	575032,946	4770486,337
1228	575049,600	4770546,353
1229	575016,415	4770497,586
1230	574977,884	4770540,471
1231	574983,897	4770519,690
1232	574812,267	4770231,632
1233	574799,243	4770209,793
1234	574813,754	4770177,878
1235	574836,995	4770216,897
1236	574901,776	4770178,281
1237	574966,255	4770785,143
1238	574947,957	4770788,66
1239	574891,384	4770788,911
1240	574866,692	4770896,444
1241	574898,719	4770942,876
1242	574841,674	4770974,236
1243	574811,621	4770930,729
1244	574790,346	4771002,012
1245	574767,45	4770968,861
1246	574709,069	4771056,763
1247	574706,627	4771058,238
1248	574365,249	4770365,895
1249	574723,969	4771006,158
1250	574720,682	4771002,833
1251	574696,989	4771021,211
1252	574698,577	4771036,488
1253	574706,288	4771048,519
1254	574399,16	4770405,371
1255	574707,675	4771062,872
1256	574702,816	4771056,576
1257	574697,648	4771058,856
1258	574637,703	4771007,983
1259	574677,546	4770840,872



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1260	574607,496	4770987,828
1261	574626,195	4770908,925
1262	574539,935	4770888,482
1263	574543,199	4770809,025
1264	574824,274	4770875,593
1265	574508,787	4770701,136
1266	574844,13	4770789,118
1267	574562,957	4770982,402
1268	574449,990	4770989,596
1269	574452,179	4771023,701
1270	574449,280	4770978,334
1271	574558,882	4770971,343
1272	574528,748	4770894,859
1273	574444,316	4770900,246
1274	574285,108	4770910,386
1275	574235,013	4770811,084
1276	574384,977	4770525,940
1277	574382,341	4770525,930
1278	574397,971	4770493,438
1279	574735,332	4770507,522
1280	574674,055	4770532,465
1281	574718,177	4770489,803
1282	574576,518	4770532,866
1283	574671,301	4770441,271
1284	574535,152	4770498,064
1285	574633,931	4770402,606
1286	574505,067	4770465,745
1287	574603,223	4770370,853
1288	574469,96	4770429,981
1289	574568,391	4770334,824
1290	574423,846	4770413,483
1291	574509,691	4770330,501
1292	574537,893	4770303,252
1293	574445,011	4770263,564
1294	574715,124	4770408,554
1295	574576,897	4770265,56
1296	574735,487	4770266,588
1297	574658,397	4770186,8
1298	574812,798	4770138,486
1299	574683,085	4770162,912
1300	574801,125	4770032,79
1301	574574,388	4770079,903
1302	574749,368	4769896,795



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1303	574747,056	4769906,059
1304	574743,564	4769908,32
1305	574634,721	4769930,229
1306	574568,808	4769935,336
1307	574814,066	4770036,8
1308	574983,954	4769965,708
1309	574784,943	4769975,923
1310	574957,913	4769903,523
1311	575131,218	4769830,989
1312	574990,302	4769662,053
1313	574994,195	4769664,445
1314	574999,496	4769668,754
1315	574995,542	4769676,336
1316	574993,753	4769682,765
1317	575002,973	4769698,941
1318	575028,954	4769734,044
1319	575037,032	4769750,7
1320	575055,286	4769757,025
1321	574814,183	4769674,435
1322	574758,42	4769622,177
1323	574803,217	4769625,964
1324	574886,992	4769577,802
1325	574938,945	4769653,029
1326	574967,152	4769515,578
1327	574951,355	4769489,991
1328	574956,828	4769488,561
1329	575031,62	4769475,176
1330	575045,108	4769441,301
1331	575042,686	4769468,227
1332	575051,834	4769445,275
1333	575001,722	4769580,715
1334	575083,668	4769505,013
1335	575109,914	4769525,547
1336	575436,911	4769128,753
1337	575198,482	4768995,516
1338	575238,083	4769012,253
1339	575276,86	4769120,846
1340	575286,187	4769128,934
1341	575283,209	4769120,75
1342	575255,597	4769044,987
1343	575275,539	4769008,983
1344	575266,546	4768831,329
1345	575396,873	4768866,593



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1346	575330,78	4768910,179
1347	575403,967	4769128,824
1348	575477,594	4768984,277
1349	575458,953	4768997,066
1350	575516,262	4769040,983
1351	575480,041	4769060,054
1352	575555,643	4769096,906
1353	575514,627	4769104,59
1354	575561,63	4769105,408
1355	575516,367	4769113,896
1356	575499,134	4769117,115
1357	574892,497	4769237,109
1358	574870,531	4769203,332
1359	575195,633	4769585,862
1360	575223,605	4769649,028
1361	575062,396	4769630,487
1362	575066,787	4769640,433
1363	575026,444	4769658,305
1364	575055,245	4769723,643
1365	575157,753	4769839,818
1366	575283,471	4769784,111
1367	575251,677	4769971,613
1368	575347,71	4769929,086
1369	575271,702	4770021,002
1370	575369,259	4769977,757
1371	575381,372	4770005,09
1372	575503,027	4769653,544
1373	575340,773	4769588,722
1374	575426,042	4769458,906
1375	575325,698	4769556,737
1376	575327,899	4770144,527
1377	575334,889	4770075,135
1378	575357,475	4770133,062
1379	575388,61	4770012,789
1380	575425,223	4770106,736
1381	575463,99	4769999,963
1382	575495,054	4770079,644
1383	575585,249	4769995,725
1384	575601,814	4770038,223
1385	575392,404	4770274,86
1386	575654,273	4770172,826
1387	575495,015	4770392,601
1388	575707,623	4770309,733



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1389	575756,07	4770434,063
1390	575803,627	4770402,357
1391	575811,005	4770401,93
1392	575828,355	4770422,912
1393	575905,161	4770433,126
1394	575903,028	4770414,09
1395	575819,691	4770410,003
1396	575900,806	4770394,751
1397	575831,493	4770400,287
1398	575825,708	4770346,776
1399	575893,05	4770339,487
1400	575726,249	4770357,511
1401	575889,717	4770313,184
1402	575716,581	4770332,748
1403	575866,584	4770117,347
1404	575642,521	4770142,653
1405	575845,824	4769940,55
1406	575729,463	4769953,695
1407	575751,716	4769914,95
1408	575572,482	4769909,986
1409	575742,405	4769872,603
1410	575557,979	4769852,242
1411	575729,596	4769814,473
1412	575527,984	4769720,6
1413	575700,593	4769682,611
1414	575716,014	4769679,23
1415	575518,328	4769674,193
1416	575705,804	4769632,923
1417	575496,846	4769583,148
1418	575708,425	4769520,308
1419	575491,252	4769562,204
1420	575699,108	4769488,902
1421	575481,075	4769536,869
1422	575555,037	4769508,463
1423	575458,54	4769489,99
1424	575533,798	4769453,102
1425	575733,47	4769355,305
1426	575778,339	4769422,776
1427	575689,57	4769456,84
1428	575783,263	4769433,519
1429	575692,926	4769468,209
1430	575787,415	4769444,836
1431	575696,38	4769479,752



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1432	575792,692	4769478,302
1433	575704,957	4769508,665
1434	575794,715	4769494,7
1435	575808,107	4769610,387
1436	575813,354	4769657,799
1437	575819,38	4769711,146
1438	575712,071	4769734,761
1439	575826,395	4769772,139
1440	575725,183	4769794,41
1441	575836,526	4769857,385
1442	575743,556	4769877,83
1443	576086,464	4769540,927
1444	576010,256	4769406,463
1445	576133,023	4769539,582
1446	576046,074	4769386,173
1447	576184,518	4769545,628
1448	576082,453	4769365,573
1449	576251,411	4769547,374
1450	576219,348	4769490,783
1451	576392,244	4769483,267
1452	576353,41	4769414,785
1453	576442,593	4769364,227
1454	576338,336	4769304,422
1455	576168,338	4769400,749
1456	576293,337	4769246,038
1457	576132,35	4769337,297
1458	576116,211	4769346,419
1459	576267,989	4769175,845
1460	576079,95	4769282,426
1461	576199,817	4769100,344
1462	576030,962	4769196,034
1463	576163,362	4769034,313
1464	576093,231	4769058,509
1465	576156,57	4769013,344
1466	576089,152	4769036,6
1467	576153,466	4768928,783
1468	576071,991	4768943,881
1469	576157,925	4768884,434
1470	576115,058	4768893,727
1471	576064,442	4768903,121
1472	576154,658	4768851,031
1473	576111,05	4768862,417
1474	576139,877	4768822,921



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1475	576129,493	4768827,444
1476	576127,841	4768822,46
1477	576107,472	4768834,19
1478	576094,618	4768833,517
1479	576096,12	4768843,246
1480	576099,429	4768869,14
1481	576077,269	4768872,388
1482	576073,126	4768867,417
1483	576076,718	4768863,839
1484	576074,584	4768851,249
1485	576072,01	4768835,882
1486	576066,982	4768836,553
1487	576068,854	4768853,029
1488	576069,011	4768856,111
1489	575855,352	4768933,271
1490	575925,241	4769116,518
1491	575809,737	4769520,134
1492	575959,081	4769435,513
1493	575808,05	4769504,684
1494	575951,565	4769423,328
1495	575806,005	4769484,913
1496	575942,008	4769407,843
1497	575803,711	4769464,023
1498	575931,868	4769391,442
1499	575799,098	4769438,229
1500	575828,392	4769431,125
1501	575923,268	4769377,475
1502	575790,413	4769417,194
1503	575907,003	4769351,157
1504	575776,489	4769396,412
1505	575894,813	4769329,429
1506	575748,945	4769355,912
1507	575663,039	4769231,802
1508	575775,851	4769174,439
1509	575636,79	4769193,6
1510	575770,597	4769146,733
1511	575626,783	4769177,898
1512	575767,183	4769128,714
1513	575615,9	4769162,86
1514	575707,927	4769130,63
1515	575602,054	4769142,82
1516	575703,474	4769107,277
1517	575759,387	4769087,681



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1518	575587,817	4769122,785
1519	575699,035	4769083,809
1520	575566,071	4769091,285
1521	575692,058	4769047,141
1522	575685,33	4769011,712
1523	575740,11	4768986,115
1524	576122,759	4768819,896
1525	576120,225	4768812,167
1526	576118,52	4768804,999
1527	576115,124	4768781,631
1528	576112,904	4768766,648
1529	576179,042	4768756,838
1530	576134,835	4768659,219
1531	576103,573	4768703,276
1532	576110,955	4768634,538
1533	576056,647	4768710,985
1534	576099,115	4768785,68
1535	576085,908	4768791,854
1536	576091,813	4768812,683
1537	576105,752	4768808,291
1538	576107,715	4768815,399
1539	576114,177	4768817,871
1540	576116,363	4768825,009
1541	576078,242	4768830,612
1542	575945,52	4768878,311
1543	575938,852	4768854,367
1544	575844,299	4768880,681
1545	575790,194	4768685,025
1546	575841,614	4768670,934
1547	575825,153	4768610,844
1548	575755,195	4768630,019
1549	575755,819	4768585,388
1550	575828,34	4768556,712
1551	575870,714	4768492,969
1552	575891,069	4768490,040
1553	575853,277	4768546,819
1554	575911,765	4768484,814
1555	575972,551	4768703,27
1556	575615,561	4769034,513
1557	575606,734	4769021,754
1558	575534,658	4769044,838
1559	575475,448	4768959,897
1560	575547,901	4768936,706



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1561	575814,924	4768851,247
1562	575789,395	4768692,844
1563	575569,238	4768673,954
1564	575598,839	4768759,099
1565	575474,642	4768719,707
1566	575500,277	4768793,388
1567	575424,182	4768728,723
1568	575438,409	4768769,569
1569	575409,743	4768734,253
1570	575423,749	4768774,587
1571	575437,843	4768815,094
1572	575388,017	4768832,43
1573	575459,414	4768712,940
1574	575449,373	4768635,436
1575	575473,530	4768710,904
1576	575463,537	4768633,585
1577	575488,439	4768708,604
1578	575478,480	4768631,658
1579	575599,096	4768617,576
1580	575575,865	4768540,100
1581	575439,321	4768557,747
1582	575425,235	4768448,752
1583	575433,625	4768424,418
1584	575404,104	4768414,238
1585	575392,817	4768446,977
1586	575307,187	4768434,563
1587	575393,344	4768410,536
1588	575383,750	4768410,260
1589	575301,631	4768395,595
1590	575387,628	4768332,906
1591	575384,461	4768395,960
1592	575392,162	4768401,657
1593	575587,523	4768443,377
1594	575574,783	4768159,515
1595	575608,468	4768448,887
1596	575623,235	4768603,181
1597	575616,096	4768439,904
1598	575615,824	4768364,049
1599	575626,613	4768363,585
1600	575626,949	4768438,604
1601	575625,692	4768150,773
1602	575661,546	4768434,380
1603	575670,876	4768188,152



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1604	575671,395	4768173,604
1605	575698,697	4768429,897
1606	575717,683	4768219,388
1607	575779,526	4768435,260
1608	575806,272	4768278,905
1609	575841,040	4768489,007
1610	575869,709	4768321,377
1611	575909,922	4768476,423
1612	575935,559	4768326,765
1613	576035,668	4768507,029
1614	576069,903	4768343,797
1615	576054,837	4768547,474
1616	576223,483	4768459,728
1617	576221,619	4768419,205
1618	576275,448	4768481,885
1619	576218,153	4768600,625
1620	576109,224	4768623,227
1621	576140,299	4768651,370
1622	576172,370	4768644,794
1623	576178,814	4768673,693
1624	576358,616	4768443,631
1625	576356,366	4768353,033
1626	576412,866	4768461,426
1627	576455,557	4768355,266
1628	576428,099	4768474,805
1629	576471,546	4768366,778
1630	576518,068	4768561,125
1631	576574,379	4768453,253
1632	576630,971	4768649,683
1633	576658,301	4768467,259
1634	576866,953	4768679,463
1635	576911,907	4768479,074
1636	577141,262	4768458,695
1637	577154,952	4768488,080
1638	577179,028	4768506,731
1639	577210,547	4768523,038
1640	577231,347	4768529,224
1641	577214,616	4768679,875
1642	577324,821	4768647,003
1643	577284,092	4768534,206
1644	577266,688	4768533,097
1645	577334,252	4768628,636
1646	577290,197	4768506,598



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1647	577441,703	4768565,056
1648	577439,305	4768514,445
1649	576751,527	4768833,657
1650	576731,874	4768797,270
1651	576695,651	4768867,895
1652	576699,695	4768795,460
1653	576706,696	4768670,083
1654	576655,429	4768664,433
1655	576579,892	4768901,371
1656	576603,818	4768653,724
1657	576505,793	4768857,626
1658	576583,137	4768639,023
1659	576483,570	4768845,936
1660	576525,860	4768584,459
1661	576394,977	4768754,586
1662	576257,526	4768646,774
1663	576218,604	4768639,513
1664	576183,570	4768771,588
1665	576340,187	4768691,506
1666	576164,604	4768827,205
1667	576192,820	4768850,635
1668	576385,439	4768754,724
1669	576162,427	4768841,325
1670	576185,686	4768857,537
1671	576199,535	4768877,477
1672	576212,112	4768876,849
1673	576353,623	4768924,015
1674	576453,896	4768850,810
1675	576511,585	4769092,206
1676	576543,067	4768866,242
1677	576331,767	4768917,757
1678	576218,902	4768907,474
1679	576161,367	4768934,197
1680	576216,435	4768933,522
1681	576162,06	4769006,066
1682	576210,959	4768991,697
1683	576181,953	4769053,409
1684	576226,915	4769037,874
1685	576382,036	4768984,296
1686	576214,544	4769109,172
1687	576401,863	4769015,510
1688	576243,776	4769148,074
1689	576420,012	4769044,278



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1690	576277,954	4769174,081
1691	576443,268	4769074,388
1692	576300,24	4769241,45
1693	576424,79	4769267,961
1694	576451,97	4769303,349
1695	576437,924	4769338,387
1696	576448,752	4769358,047
1697	576527,083	4769322,157
1698	576531,581	4769326,401
1699	576541,068	4769336,314
1700	576548,825	4769339,11
1701	576542,92	4769351,081
1702	576530,018	4769345,211
1703	576531,279	4769347,776
1704	576538,477	4769344,229
1705	576500,511	4769362,763
1706	576508,189	4769383,094
1707	576514,722	4769400,415
1708	576532,884	4769389,309
1709	576526,581	4769375,13
1710	576557,8	4769371,672
1711	576568,382	4769323,792
1712	576554,637	4769303,147
1713	576552,644	4769305,429
1714	576556,978	4769293,774
1715	576556,169	4769287,721
1716	576552,578	4769288,091
1717	576552,873	4769294,422
1718	576506,436	4769257,605
1719	576532,885	4769246,14
1720	576556,511	4769253,919
1721	576574,697	4769323,902
1722	576588,591	4769298,869
1723	576617,847	4769252,73
1724	576834,604	4769116,698
1725	576603,863	4769315,843
1726	576610,035	4769308,463
1727	576648,847	4769273,23
1728	576644,336	4769316,057
1729	576666,482	4769286,415
1730	576711,75	4769320,272
1731	576817,834	4769027,806
1732	576890,020	4768992,698



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1733	576936,381	4769290,222
1734	577055,273	4769207,304
1735	576954,350	4769310,462
1736	577054,450	4769230,604
1737	576992,706	4769353,651
1738	577056,078	4769296,952
1739	577062,663	4769493,609
1740	577070,409	4769493,673
1741	577182,002	4769399,600
1742	577226,161	4769393,802
1743	577102,579	4769330,452
1744	577221,028	4769321,512
1745	577060,446	4769250,867
1746	577217,601	4769220,026
1747	577055,417	4769164,776
1748	577123,012	4769124,973
1749	576987,271	4769115,723
1750	577074,850	4769071,039
1751	576942,698	4769045,078
1752	577036,696	4769000,609
1753	576941,054	4768997,600
1754	576961,929	4769006,881
1755	577024,203	4768977,432
1756	576881,633	4768914,639
1757	576969,953	4768867,606
1758	576847,049	4768889,261
1759	576881,825	4768842,008
1760	576859,579	4768797,899
1761	576857,412	4768793,624
1762	576920,197	4768767,765
1763	576964,054	4768831,956
1764	577254,706	4768707,459
1765	577018,645	4768943,392
1766	577096,505	4768900,186
1767	577052,230	4769011,299
1768	577133,221	4768966,354
1769	577118,836	4768940,446
1770	577380,794	4768795,145
1771	577399,410	4768818,723
1772	577415,920	4768855,711
1773	577075,404	4769053,568
1774	577432,877	4768917,450
1775	577375,210	4768954,741



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1776	577127,197	4769115,112
1777	577399,099	4768991,641
1778	577136,776	4769549,293
1779	577228,735	4769624,456
1780	577143,776	4769545,977
1781	577227,228	4769614,176
1782	577237,261	4769610,347
1783	577219,700	4769471,013
1784	577230,124	4769488,761
1785	577239,034	4769292,508
1786	577358,397	4769329,315
1787	577272,927	4769202,377
1788	577397,376	4769255,426
1789	577313,448	4769112,291
1790	577456,558	4769192,537
1791	577338,666	4769077,439
1792	577483,314	4769163,053
1793	577363,238	4769053,262
1794	577493,075	4769129,291
1795	577405,369	4769004,205
1796	577524,341	4769091,392
1797	577436,907	4768956,811
1798	577538,695	4769015,009
1799	577341,428	4768638,435
1800	577590,884	4768832,746
1801	577308,906	4769437,323
1802	576754,100	4768838,378
1803	576220,832	4768887,100
1804	575211,652	4773648,012
1805	575621,855	4772316,208
1806	575721,503	4772663,360
1807	574821,049	4771550,832
1808	574827,460	4771540,230
1809	575227,166	4770410,859
1810	575157,947	4770376,973
1811	575173,337	4770345,517
1812	575250,930	4770383,506
1813	575877,625	4771153,947
1814	575858,737	4771155,474
1815	575938,491	4771186,922
1816	575922,592	4770784,252
1817	575911,031	4770777,784
1818	576067,729	4769260,877



RELACIÓN DE COORDENADAS DOS MARCOS COLOCADOS (UTM ETRS89 FUSO 29N)

Número de marco	Coordenada X	Coordenada Y
1819	576427,989	4769320,631
1820	576547,383	4769357,252
1821	576538,344	4769294,728
1822	576076,43	4770938,374
1823	576933,538	4770664,02
1824	576004,504	4770651,718
1825	576048,475	4770299,375
1826	576003,179	4769939,015
1827	576789,184	4770399,225
1828	576813,601	4770414,242
1829	576870,505	4770143,67
1830	576880,694	4770146,362
1831	576878,508	4770146,71
1832	576881,588	4770148,548
1833	576673,36	4769866,113